

Butler, Douglas

Fr m: PLUS
Sent: Tuesday, March 09, 2004 8:23 AM
T : Butler, Douglas
Subject: PLUS Results for 10605338

Here are the PLUS search results for 10605338.

This search was prepared by the staff of the Scientific and Technical Information Center, SIRA. If you have questions or comments about this search, please reply via email to PLUS@uspto.gov.



10605338_QUAL.txt



10605338_LIST.txt



10605338_WEST.txt



10605338_EAST.txt



10605338.east



10605338_CLS.txt



10605338_CLSTITLES.txt



10605338_WDS.txt

xt

10605338_LIST

PLUS Search Results for S/N 10605338, Searched March 08, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

4374553	5967274	5330034
4609076	6044935	5333944
5273137	3570631	5343987
5535856	3812935	5360086
5542503	4142611	5360175
5826686	4249642	5474161
5860496	4262933	5480007
5921354	4298857	5492202
6003642	4303146	5501306
6039155	4318458	5529459
6131707	4333676	5535859
6269915	4336746	5548945
6478122	4343442	5558184
5865543	4372430	5573088
4800993	4372117	5586623
5699882	4387901	5586630
4269423	4387791	5634535
4331221	4391355	5643146
4334599	4408859	5651430
4440267	4460070	5671828
4560895	4469995	5682965
5184054	4478316	5687817
5407036	4498066	5730258
5430926	4503595	5782322
5538105	4508318	5810121
5549181	4512445	5873443
5560457	4529067	5881847
5660253	4530423	5906253
5845747	4560049	5908091
5931268	4574922	5915505
5941348	4596318	5926932
6026938	4615419	5954607
6112398	4615227	5957247
6223866	4763465	5984055
6223866	4771662	6006869
6257378	4795004	6022502
6345701	4799354	6045076
6367598	4843820	6047805
6378665	4858729	6101911
6378666	4867282	6116387
6386335	4915198	6119817
6607253	4932288	6119820
4418807	4940119	6119833
4455831	4974704	6131711
4588045	5009293	6145636
4773210	5012905	6193023
4827204	5067227	6203005
5445242	5219049	6205633
5601163	5232071	6206148
5609228	5325945	6216828

10605338_EAST

(4374553
4609076
5273137
5535856
5542503
5826686
5860496
5921354
6003642
6039155
6131707
6269915
6478122
5865543
4800993
5699882
4269423
4331221
4334599
4440267
4560895
5184054
5407036
5430926
5538105
5549181
5560457
5660253
5845747
5931268
5941348
6026938
6112398
6223866
6223866
6257378
6345701
6367598
6378665
6378666
6386335
6607253
4418807
4455831
4588045
4773210
4827204
5445242
5601163
5609228) .pn.
(5967274
6044935
3570631
3812935
4142611
4249642
4262933
4298857
4303146

10605338_EAST

4318458
4333676
4336746
4343442
4372430
4372117
4387901
4387791
4391355
4408859
4460070
4469995
4478316
4498066
4503595
4508318
4512445
4529067
4530423
4560049
4574922
4596318
4615419
4615227
4763465
4771662
4795004
4799354
4843820
4858729
4867282
4915198
4932288
4940119
4974704
5009293
5012905
5067227
5219049
5232071
5325945) .pn.
(5330034
5333944
5343987
5360086
5360175
5474161
5480007
5492202
5501306
5529459
5535859
5548945
5558184
5573088
5586623
5586630
5634535
5643146

10605338_EAST

5651430
5671828
5682965
5687817
5730258
5782322
5810121
5873443
5881847
5906253
5908091
5915505
5926932
5954607
5957247
5984055
6006869
6022502
6045076
6047805
6101911
6116387
6119817
6119820
6119833
6131711
6145636
6193023
6203005
6205633
6206148
6216828) .pn.

10605338_CLS

Most Frequently Occurring Classifications of Patents Returned
From A Search of 10605338 on March 08, 2004

Original Classifications

7 188/73.38
6 188/73.44
5 188/218XL
5 188/72.4
5 188/73.35
4 188/18A
4 188/71.5
4 188/71.6
4 188/73.31
4 188/73.45
3 188/71.8
3 188/72.3
3 188/72.6
3 188/73.2
3 188/73.39
2 29/401.1
2 29/434
2 188/264A
2 188/264G
2 188/71.9

Cross-Reference Classifications

9 188/72.4
7 188/218XL
7 188/73.36
6 188/73.45
5 188/106F
5 188/170
5 188/205A
5 188/71.8
4 188/18A
4 188/196P
4 188/264G
4 188/72.9
4 188/73.1
4 188/73.38
3 188/162
3 188/18R
3 188/250B
3 188/264AA
3 188/370
3 188/71.1
3 188/71.5
3 188/72.3
3 188/72.6
3 188/73.31
3 188/73.35
3 188/73.37
2 60/578
2 92/168
2 188/158
2 188/196BA
2 188/196D
2 188/206A

10605338_CLS

2 188/216
 2 188/251A
 2 188/259
 2 188/264A
 2 188/325
 2 188/341
 2 188/72.1
 2 188/72.2
 2 188/73.43
 2 188/75
 2 188/77W
 2 192/107T
 2 192/79
 2 192/81C
 2 192/83
 2 303/115.2
 2 318/372

Combined Classifications

14 188/72.4
 12 188/218XL
 11 188/73.38
 10 188/73.45
 8 188/18A
 8 188/71.8
 8 188/73.35
 8 188/73.36
 7 188/71.5
 7 188/73.31
 7 188/73.44
 6 188/170
 6 188/264G
 6 188/72.3
 6 188/72.6
 5 188/106F
 5 188/205A
 5 188/71.6
 5 188/72.9
 5 188/73.1
 4 188/162
 4 188/196P
 4 188/250B
 4 188/264A
 4 188/264AA
 4 188/73.2
 4 188/73.37
 4 188/73.39
 3 29/401.1
 3 188/18R
 3 188/251A
 3 188/325
 3 188/341
 3 188/370
 3 188/71.1
 3 188/71.9
 3 188/77W
 2 29/434
 2 57/406
 2 57/88

10605338_CLS

2 60/562
2 60/578
2 60/585
2 92/168
2 188/1.11L
2 188/106P
2 188/158
2 188/181T
2 188/196BA
2 188/196D
2 188/205R
2 188/206A
2 188/216
2 188/259
2 188/72.1
2 188/72.2
2 188/72.5
2 188/73.32
2 188/73.43
2 188/75
2 188/77R
2 188/78
2 192/107T
2 192/79
2 192/81C
2 192/83
2 192/84.81
2 303/112
2 303/115.2
2 310/77
2 318/372

10605338_CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned
From A Search of 10605338 on March 08, 2004

- 14 188/72.4 (5 OR, 9 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing
therefor
188/72.1 ..With means for actuating brake element
188/72.4 ...By fluid pressure piston
- 12 188/218XL (5 OR, 7 XR)
Class 188 : BRAKES
188/381 . FRICTIONAL VIBRATION DAMPER
188/218R .Brake wheels
188/218XL ..Disk type
- 11 188/73.38 (7 OR, 4 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing
therefor
188/73.31 ..Retainer for brake element
188/73.37 ...Having means to prevent vibration of brake
element
188/73.38Spring
- 10 188/73.45 (4 OR, 6 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing
therefor
188/73.31 ..Retainer for brake element
188/73.43 ...Including actuator slidable in plane
parallel to axis of rotation of wheel
188/73.44On axially extending pin
188/73.45Plural pins
- 8 188/18A (4 OR, 4 XR)
Class 188 : BRAKES
188/2R VEHICLE
188/17 .Hub or disk
188/18R ..Motor vehicle
188/18A ...Disc brakes
- 8 188/71.8 (3 OR, 5 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing
therefor
188/71.7 ..With means to adjust for wear of brake
188/71.8 ...Self-adjusting means
- 8 188/73.35 (5 OR, 3 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing
therefor

10605338_CLSTITLES

- 188/73.31 ..Retainer for brake element
- 188/73.35 ...Having actuator and means to prevent vibration thereof

- 8 188/73.36 (1 OR, 7 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/73.31 ..Retainer for brake element
 - 188/73.35 ...Having actuator and means to prevent vibration thereof
 - 188/73.36Including means to prevent vibration of brake element

- 7 188/71.5 (4 OR, 3 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/71.5 ..Plural rotating elements (e.g., "multidisc")

- 7 188/73.31 (4 OR, 3 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/73.31 ..Retainer for brake element

- 7 188/73.44 (6 OR, 1 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/73.31 ..Retainer for brake element
 - 188/73.43 ...Including actuator slidable in plane parallel to axis of rotation of wheel
 - 188/73.44On axially extending pin

- 6 188/170 (1 OR, 5 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/166 .Spring
 - 188/170 ..Fluid-pressure release

- 6 188/264G (2 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/264R .Cooling and lubricating
 - 188/264G ..Insulators

- 6 188/72.3 (3 OR, 3 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/72.1 ..With means for actuating brake element
 - 188/72.3 ...And means for retracting brake element

10605338_CLSTITLES

- 6 188/72.6 (3 OR, 3 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/72.1 ..With means for actuating brake element
 188/72.4 ...By fluid pressure piston
 188/72.6And/or mechanical linkage
- 5 188/106F (0 OR, 5 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/105 .Multiple
 188/106R ..Vehicle
 188/106F ...Fluid and mechanical
- 5 188/205A (0 OR, 5 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/205R .Supports
 188/205A ..Antirattler
- 5 188/71.6 (4 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/71.6 ..With means for cooling brake
- 5 188/72.9 (1 OR, 4 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/72.1 ..With means for actuating brake element
 188/72.9 ...By pivoted lever
- 5 188/73.1 (1 OR, 4 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/73.1 ..Structure of brake element
- 4 188/162 (1 OR, 3 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/158 .Electric
 188/161 ..Electromagnet
 188/162 ...Rotary motor
- 4 188/196P (0 OR, 4 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/196R .Slack
 188/196P ..Friction
- 4 188/250B (1 OR, 3 XR)

10605338_CLSTITLES

- Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/250R .Shoes
 188/250B ..Shoe construction
- 4 188/264A (2 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/264R .Cooling and lubricating
 188/264A ..Air-cooled, axially engaging
- 4 188/264AA (1 OR, 3 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/264R .Cooling and lubricating
 188/264A ..Air-cooled, axially engaging
 188/264AA ...Auto wheel type
- 4 188/73.2 (3 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/73.1 ..Structure of brake element
 188/73.2 ...Circumferential or circumferentially spaced
- 4 188/73.37 (1 OR, 3 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/73.31 ..Retainer for brake element
 188/73.37 ...Having means to prevent vibration of brake
 element
- 4 188/73.39 (3 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/73.31 ..Retainer for brake element
 188/73.39 ...Including torque member supporting brake
 element
- 3 29/401.1 (2 OR, 1 XR)
 Class 029 : METAL WORKING
 29/592 METHOD OF MECHANICAL MANUFACTURE
 29/401.1 .Converting
- 3 188/18R (0 OR, 3 XR)
 Class 188 : BRAKES
 188/2R VEHICLE
 188/17 .Hub or disk
 188/18R ..Motor vehicle
- 3 188/251A (1 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER

```
188/250R      .Shoes
188/251R      ..Composite
188/251A      ...Materials
```

- Page 5

10605338_CLSTITLES

- 57/1R APPARATUS AND PROCESSES
 57/400 .Open end spinning
 57/404 ..Rotating chamber type
 57/406 ...With housing for drive or support
- 2 57/88 (1 OR, 1 XR)
 Class 057 : TEXTILES: SPINNING, TWISTING, AND TWINING
 57/1R APPARATUS AND PROCESSES
 57/78 .Stopping or starting
 57/88 ..Spindle stopping
- 2 60/562 (1 OR, 1 XR)
 Class 060 : POWER PLANTS
 60/325 PRESSURE FLUID SOURCE AND MOTOR
 60/533 .Pulsator
 60/562 ..Master piston of one pulsator circuit drives
 master piston of a parallel circuit through a resilient,
 fluid or lost motion connection
- 2 60/578 (0 OR, 2 XR)
 Class 060 : POWER PLANTS
 60/325 PRESSURE FLUID SOURCE AND MOTOR
 60/533 .Pulsator
 60/574 ..Automatic control of plural stage pressure
 generation or utilization
 60/578 ...Unitarily movable displacer delivers fluid
 from two delivery chambers, one chamber being ineffective
 under high pressure delivery
- 2 60/585 (1 OR, 1 XR)
 Class 060 : POWER PLANTS
 60/325 PRESSURE FLUID SOURCE AND MOTOR
 60/533 .Pulsator
 60/585 ..Holder for reserve liquid feeds master
- 2 92/168 (0 OR, 2 XR)
 Class 092 : EXPANSIBLE CHAMBER DEVICES
 92/165R WITH GUIDE OR SEAL ON CYLINDER END PORTION FOR
 PISTON OR MEMBER MOVED BY PISTON
 92/168 .Non-metallic seal means between piston or
 member and end portion
- 2 188/1.11L (1 OR, 1 XR)
 Class 188 : BRAKES
 188/1.11R WITH CONDITION INDICATOR
 188/1.11W .Wear
 188/1.11L ..Electrical
- 2 188/106P (1 OR, 1 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/105 .Multiple
 188/106R ..Vehicle
 188/106P ...Plural systems
- 2 188/158 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/158 .Electric

10605338_CLSTITLES

- 2 188/181T (1 OR, 1 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/174 .Weight
 188/180 ..Regulators
 188/181R ...Vehicle
 188/181T Torque-responsive
- 2 188/196BA (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/196R .Slack
 188/196B ..Ratchet
 188/196BA ...Rotatable
- 2 188/196D (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/196R .Slack
 188/196D ..Frictional rotation
- 2 188/205R (1 OR, 1 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/205R .Supports
- 2 188/206A (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/205R .Supports
 188/206R ..Brake element
 188/206A ...Anchor
- 2 188/216 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/216 ..Release mechanism
- 2 188/259 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/250R ..Shoes
 188/251R ..Composite
 188/259 ...Flexible
- 2 188/72.1 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 ..Axially movable brake element or housing
 therefor
 188/72.1 ..With means for actuating brake element
- 2 188/72.2 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 ..Axially movable brake element or housing
 therefor
 188/72.1 ..With means for actuating brake element

10605338_CLSTITLES

- 188/72.2 ...Self-force-increasing means
- 2 188/72.5 (1 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/72.1 ..With means for actuating brake element
 188/72.4 ...By fluid pressure piston
 188/72.5 Piston for each of plural elements
- 2 188/73.32 (1 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/73.31 ..Retainer for brake element
 188/73.32 ...Having means to facilitate changing brake
 element
- 2 188/73.43 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/73.31 ..Retainer for brake element
 188/73.43 ...Including actuator slidable in plane
 parallel to axis of rotation of wheel
- 2 188/75 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/74 .Transversely movable
 188/75 ..Opposing
- 2 188/77R (1 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/74 .Transversely movable
 188/77R ..Strap
- 2 188/78 (1 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/74 .Transversely movable
 188/78 ..Expanding
- 2 192/107T (0 OR, 2 XR)
 Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/30R CLUTCHES
 192/107R .Engaging surfaces
 192/107T ..Transversely engaging
- 2 192/79 (0 OR, 2 XR)
 Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/30R CLUTCHES
 192/66.1 .Axially engaging
 192/79 ..Exterior

10605338_CLSTITLES

- 2 192/81C (0 OR, 2 XR)
 Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/30R CLUTCHES
 192/66.1 .Axially engaging
 192/79 ..Exterior
 192/80 ...Strap
 192/81RMultiple folds
 192/81C :Coil
- 2 192/83 (0 OR, 2 XR)
 Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/30R CLUTCHES
 192/82R .Operators
 192/83 ..Multiple for same clutch
- 2 192/84.81 (1 OR, 1 XR)
 Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/30R CLUTCHES
 192/82R .Operators
 192/84.1 ..Electric or magnetic
 192/84.8 ...Operator for transversely engaging elements
 192/84.81 :Coil spring
- 2 303/112 (1 OR, 1 XR)
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 303/121 .SPEED-CONTROLLED
 303/112 .Torque sensing
- 2 303/115.2 (0 OR, 2 XR)
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 303/121 SPEED-CONTROLLED
 303/113.1 .Having a valve system responsive to a wheel
 lock signal
 303/115.1 ..System controlled by expansible chamber type
 modulator
 303/115.2 ...Having electric control
- 2 310/77 (1 OR, 1 XR)
 Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
 310/10 DYNAMOELECTRIC
 310/40R .Rotary
 310/66 ..With other elements
 310/75R ...Drive mechanism
 310/77Brake
- 2 318/372 (0 OR, 2 XR)
 Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
 318/362 BRAKING
 318/372 .Friction braking